PIF 01824

MAGIC STAIN REMOVER

CHLORINATED CLEANER & STAIN REMOVER

CONTACT TIME

2–5 min

THEN RINSE

pH 13–14 | Ready to use | Chlorinated

Restroom | Hard surfaces

DESCRIPTION

Magic Stain Remover is a ready-to-use chlorinated cleaner that begins removing mold, mildew, algae and other inanimate organic stains on contact, without scrubbing. It works on restroom surfaces including tubs, grout, showers, sinks, vinyl bath mats, shower curtains, walls, toilets and urinals, and on concrete, brick, patio furniture, vinyl boat seats and drinking fountains. It also removes soap scum and body oils and deodorizes as it cleans.

ADVANTAGES

Works on Contact
Starts removing stains on contact

Ready to Use
No mixing required

Mold & Mildew Stains
Removes mold, mildew and algae staining

Cleans & Deodorizes
Removes soap scum and body oils; deodorizes

DIRECTIONS

1. Spray or wipe Magic Stain Remover onto the surfaces to be treated.
2. Let stand for 2–5 minutes and rinse with water.
3. For heavy stains, repeat the application.
4. **Note:** Use only with adequate ventilation; avoid breathing vapors. Do not use on painted surfaces or woodwork. Will damage clothes and fabrics. Do not mix with acids, ammonia or any other chemicals.

AVAILABLE PACK SIZES

ITEM NO.	PACK SIZE	DOT
01824-D5503	55 gal	UN1760, 8, PG II
01824-P5002	5 gal	UN1760, 8, PG II
01824-C4501	4 × 1 gal	UN1760, 8, PG II
01824-C3001	12 × 1 qt	Limited Quantity

PIF 01824 · TDS rev03 · Issued October 2026 · Supersedes rev02

Read the product label and Safety Data Sheet before use. Order: 800-752-6627 · sales@kor-chem.com

SCAN FOR SDS
kor-chem.com/sds

KOR-CHEM
ATLANTA, GEORGIA 30336
PHONE: 404-344-9580
E-MAIL: sales@kor-chem.com
WEB: www.kor-chem.com

Information contained herein, is to the best of our knowledge, true and accurate, but all recommendations or suggestions are made without guarantee. Since the conditions of use are beyond our control, Kor-Chem Inc. disclaims any liability in connection with the use of our products and information contained herein. No person is authorized to make any statement or recommendation not contained herein, and any such statement or recommendation made shall not bind Kor-Chem Inc. Nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use, and no license implied or in fact is granted herein under the claims of any patent.

MAGIC STAIN REMOVER

TYPICAL PRODUCT CHARACTERISTICS

Appearance	Yellow, clear liquid	**Solubility**	Complete in water
Scent	Chlorine	**Foam**	Low
pH	13–14	**Emulsification**	Very good
Specific Gravity	1.150	**Rinsability**	Excellent
Weight, per U.S. gallon	9.6 lbs	**Max. Dilution Ratio**	Ready to use
Flashpoint	Not flammable		

SAFETY & HANDLING

HAZARDS (GHS)

DANGER

- Causes severe skin burns and eye damage (H314, H318)
- May cause an allergic skin reaction (H317)
- Harmful if swallowed or inhaled (H302, H332)
- Very toxic to aquatic life (H400)

FIRST AID

- **If in eyes:** Immediately flush with water for at least 15 minutes, holding eyelids open. Remove contact lenses. Get medical attention immediately.
- **If on skin:** Remove contaminated clothing immediately; keep it at the workplace. Rinse with water, then wash with soap and water.
- **If swallowed:** Do not induce vomiting. Rinse mouth. Call a physician immediately.
- **If inhaled:** Move to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or physician.

PROTECTIVE EQUIPMENT

- **Eyes:** Safety glasses with side shields or splash-proof goggles and face shield
- **Hands & body:** Chemical-resistant gloves; normal materials-handling clothing and apron
- **Breathing:** NIOSH-approved protection with acid gas cartridge if PEL is exceeded or vapors cause irritation

STORAGE & DISPOSAL

- **Shelf life:** 1 year minimum at 75°F in the original closed container.
- Keep from freezing.
- **Lot number:** bottom right corner of every label, a Julian date followed by the item number.
- Keep away from heat, flame or sunlight. Keep container closed. Store locked up.
- Store away from acids, ammonia salts, combustible or reducing materials, plastics, rubber coatings and metals such as aluminum, zinc, tin and lead.
- **Disposal:** Do not dump into sewers, on the ground or into any body of water. Dispose of contents and container per federal, state and local regulations. Emptied containers retain residue; follow label warnings. Waste may be RCRA hazardous waste D002 (corrosive).

Safety information summarized from the Magic Stain Remover Safety Data Sheet. The SDS governs; see it for full precautions.

RECOMMENDED APPLICATIONS

- Tubs
- Shower Stalls
- Shower Curtains
- Ceramic Tile
- Grout
- Sinks
- Toilet Bowls
- Urinals
- Bath Mats
- Vinyl Boat Seats
- Patio Furniture
- Concrete & Brick

PIF 01824 · TDS rev03 · Issued October 2026 · Supersedes rev02

Read the product label and Safety Data Sheet before use. Order: 800-752-6627 · sales@kor-chem.com

SCAN FOR SDS
kor-chem.com/sds

KOR-CHEM
ATLANTA, GEORGIA 30336
PHONE: 404-344-9580
E-MAIL: sales@kor-chem.com
WEB: www.kor-chem.com

Information contained herein, is to the best of our knowledge, true and accurate, but all recommendations or suggestions are made without guarantee. Since the conditions of use are beyond our control, Kor-Chem Inc. disclaims any liability in connection with the use of our products and information contained herein. No person is authorized to make any statement or recommendation not contained herein, and any such statement or recommendation made shall not bind Kor-Chem Inc. Nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use, and no license implied or in fact is granted herein under the claims of any patent.

MAGIC STAIN REMOVER

REGISTRATIONS & COMPLIANCE

GHS signal word	DANGER
DOT, drum, pail & 4 × 1 gal	UN1760, Corrosive liquid, n.o.s. (sodium hypochlorite, sodium hydroxide), 8, PG II. Gallons do not qualify for Limited Quantity (PG II limit is 1 L per inner container).
DOT, 12 × 1 qt	Limited Quantity

ORDERING & SUPPORT

- Order: 800-752-6627 · sales@kor-chem.com
- Phone: 404-344-9580
- SDS: scan the code below or visit kor-chem.com/sds
- Find a distributor: kor-chem.com/distributor-locator

KOR-CHEM
ATLANTA, GEORGIA 30336
PHONE: 404-344-9580
E-MAIL: sales@kor-chem.com
WEB: www.kor-chem.com

Information contained herein, is to the best of our knowledge, true and accurate, but all recommendations or suggestions are made without guarantee. Since the conditions of use are beyond our control, Kor-Chem Inc. disclaims any liability in connection with the use of our products and information contained herein. No person is authorized to make any statement or recommendation not contained herein, and any such statement or recommendation made shall not bind Kor-Chem Inc. Nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use, and no license implied or in fact is granted herein under the claims of any patent.